



KESHAR FORGE & FITTINGS



YOUR TRUSTED STAINLESS STEEL SUPPLIERS

Mfg., Stockist & Suppliers of : Stainless Steel 202, 304, MS Fitting 304, S.S. Fitting 316, 310, Forge Fitting, All MS Fittings, Ferrous & Non Ferrous, IBR & Non-IBR, SORF, BLRF, SWRF As Per Drawing Your Requirement

 kesharforgeandfittings@gmail.com

 Shed No. 39, Adarash Estate, Chakudiya Mahadev Road, Rakhial, Ahmedabad - 380023



Respected Customer

Sub.: Registration of Our Firm in your approved list of vendor for Suppliers of all types of Ferrous & Non-Ferrous Metals

We Intradicted This Moments To Present Our Selves As One Of The Leading And Largest Importers, Stockists & Suppliers Of All Types Of Ferrous And Non-Ferrous Metals, We Are Also Manufacturers Of Stainless Steel Flange & Fittings In All Grades, Shapes And Sizes.

We have a technical know-how in this trade and are well versed in project and maintenance suppliers to various organizations in CHEMICALS, PHARMACEUTICALS FERTILIZERS, PETROCHEMICALS, NUCLEAR POWER, THERMAL POWDER, CEMENT, PAPER, REFINERS etc. Catering towards their requirements, on repeat order basis, in their varous manufacturing cum production programers, with our display of quality products on convenient terms.hapes And Sizes.

Any Registration formalities to be fulfilled, Please fee! free to correspond, it not only be our pleasure but due respect in doing so, awiting the opportunity of serving your prestigious firm intmes to come.

**Thanking You And Assuring Of Our Time
Bound Services, At All Times.**

For, **KESHAR FORGE & FITTINGS**






Company Profile

Company Name	: KESHAR FORGE & FITTINGS
Address	: Shed No. 39, Adarash Estate, Chakudiya Mahadev Road, Rakhial, Ahmedabad - 380023
Email	: kesharforgeandfittings@gmail.com
Contact	: +91 7016148084, 9819001216
Activities	: Sheet, Plates, Pipes, Pipe Fittings, Flanges, All Industries Raw Materials & All Hardware Items.
GSTIN	: 24AZZPC7926R1ZB
Pan No.	: AZZPC7926R
Manufacturers	: SS & MS Flange Manufacturer
Testing Facility	: At Outside Govt. Approved Lab
Inspection	: Any Third Party
Bank Name	: ICICI BANK
A/c No.	: 324005001620
IFSC Code	: ICIC0003240
Branch	: Rakhiyal, Ahmedabad


S.S. & M.S. Industrial Raw Material



Electropolish Pipe



SS Pipe



MS Pipes



SS Sheets



MS Sheets




SS Chequere Plate




SS & MS Coil



SS Rod



SS /MS Flat Bar, Angle, Channel



SS Perforated Sheet



SS Wire Rope



SS Wired Mesh

S.S. /M.S. BUTTWELD FITTING



Stainless Steel Flanges



Mild Steel Flanges



Stainless Steel Fittings



Mild Steel Fittings



SS & MS PIPE NIPPLE



Investment Casting Fittings



PU Fittings



Brass Fittings



Copper Fittings



Ferrule Fittings



SS Chain



U Clamp

INDUSTRIAL VALVE

DIRECTION CONTROL VALVE, PRESSURE RELIEF VALVE, HYDRAULIC CYLINDERS.



DIRECTION CHECK VALVES, BALL VALVES, STRAINERS VALVES



ELECTRIC & PNEUMATIC ACTUATORS VALVES

PNEUMATIC ACTUATOR & ELECTRIC ACTUATOR OPERATE VALVES



WATER METERS & HOT METER



Brass Fittings



Magnetic Dry Water Confiring
For Normal Water



Electromagnetic Flow Meter

S.S. TC (DAIRY) FITTINGS



Three Way Valve



Butterfly Valve with Union



Butterfly Valve Welded



Pin Type Spray Ball



Flexible Hose Pipe



Diaphragm valve



TC End Ball Valve



TC Ball Valve 3 Way



Butterfly Valve Sandwich Type



TC SIGHT GLASS



C-Spanner



TC End NRV



NRV Welded



NRV with Union (SMS)



In Line Filter with Union



Blind Nut



Welded Union



SMS Union



DIN Union



Side View Glass



TC Sampling



Side View Glass with Wiper



SMS Tee



SMS Bend



SMS Liner / Male Part

S.S. PHARMA & EQUIPMENTS



LID Mug



SS Pharma Funnel



SS Dustbin



SS Closed Type Scope



SS Open Type Scope

S.S. & M.S. Fasteners and Industries Fitting Items



SS Fasteners



MS Fasteners



Anchor Fasteners



Stud Bolt




Self Drilling Screw



Foundation Bolt

PP, HDPE, PVDF, ISOTACTIC, PPR, Pipe Fitting







90° Elbow
long radius




45° Elbow




90° Elbow
short radius




180° Return
long radius




Reducer



Tee equal tee




Caps



Stubends

BUTT WELDING PIPE FITTING DIMENSIONAL STANDARD ANSI B-1 6.9, B-16.28

Nominal Pipe Size		Outside Diameter	Centre to Face				Back to Face			Centre to Centre			Length "L"	
Inch	mm	D	A	B	C	N	E	F	G	R	M	S	L	L
1/2	15	21.3	19.00	16.0	25.0	-	25.0	48.0	-	76.0	-	35.0	50.8	76.2
3/4	20	26.7	29.00	11.0	29.0	-	25.0	43.0	-	57.0	-	43.0	50.8	76.2
1	25	33.4	38.00	22.0	38.0	25.0	38.0	56.0	41.0	76.0	51.0	51.0	50.8	101.6
1 1/4	32	42.2	48.00	25.0	48.0	32.0	38.0	70.0	52.0	95.0	64.0	64.0	50.8	101.6
1 1/2	40	48.3	57.15	29.0	57.0	38.0	38.0	83.0	62.0	114.0	67.0	73.0	50.8	101.6
2	50	60.3	76.00	35.0	64.0	51.0	38.0	106.0	81.0	152.0	102.0	93.0	63.5	152.4
2 1/2	65	73.0	95.25	44.0	76.0	64.0	38.0	132.0	100.0	191.0	127.0	105.0	63.5	152.4
3	80	88.9	114.30	51.0	86.0	76.0	51.0	159.0	121.0	229.0	152.0	127.0	63.5	152.4
3 1/2	90	101.6	133.35	57.0	95.0	89.0	64.0	184.0	140.0	267.0	178.0	140.0	76.2	152.4
4	100	114.3	152.0	63.0	105.0	102.0	64.0	210.0	159.0	305.0	203.0	157.0	76.2	152.4
5	125	141.3	190.0	79.0	123.0	127.0	76.0	262.0	197.0	381.0	254.0	186.0	76.2	203.2
6	150	168.3	229.0	95.0	143.0	152.0	89.0	311.0	237.0	457.0	305.0	216.0	88.9	203.2
8	200	219.1	305.0	127.0	178.0	203.0	102.0	414.0	313.0	610.0	406.0	270.0	101.6	203.2
10	250	273.1	381.0	159.0	216.0	254.0	127.0	515.0	391.0	762.0	508.0	324.0	127.0	254
12	300	323.9	457.0	190.0	254.0	303.0	152.0	619.0	467.0	914.0	610.0	381.0	152.4	254
14	350	355.6	533.0	222.0	279.0	356.0	165.0	711.0	533.0	1067.0	711.0	413.0	152.4	305.0
16	400	406.4	610.0	254.0	305.0	406.0	178.0	813.0	610.0	1219.0	813.0	470.0	152.4	305.0
18	450	457.2	686.0	286.0	343.0	457.0	203.0	914.0	686.0	1372.0	914.0	533.0	152.4	305.0
20	500	508.0	762.0	318.0	381.0	508.0	229.0	1016.0	762.0	1524.0	1016.0	584.0	152.4	305.0
22	550	559.	838.0	343.0	419.0	559.0	254.0	1118.0	838.0	1676.0	1118.0	614.40	152.4	305.0
24	600	610.0	914	381.0	432.0	610.0	267.0	1219.0	914.0	1829.0	1219.0	692.0	152.4	305.0
26	650	660.0	991.0	406.0	495.0	660.0	267.0							
28	700	711.0	1067.0	438.0	521.0	771.0	267.0							
30	750	762.0	1143.0	470.0	559.0	762.0	267.0							
32	800	813.0	1219.0	502.0	597.0	813.0	267.0							
34	850	864.0	1295.0	533.0	635.0	864.0	267.0							
36	900	914.0	1372.0	565.0	673.0	914.0	267.0							



DIMENSIONS OF CLASS 150 FLANGES

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nominal Pipe Size NPS	Outside Diameter of Flange O	Thickness of Flange, Min., t ₁	Drilling				Hub Diameter Beginning of Chamfer Welding Neck A	Lenght Thru Hub	Threaded/ Slip-On/ Socket Welding, Y	Lapped Y	Welding, Y	Threaded/ Lenght Threaded Min. B	Bore			Comer Radius of Bore Lapped Flange and Pipe, R	Depth of Socket D	Diameter of RF, R
			Thickness Lap Joint Min., t ₁	Diameter of Bolt Circle W	Diameter of Bolt Holes	Numbers of Bolts							Slip-On/ Socket Welding, Min. B	Lapped Min. B	Welding Neck/ Socket Welding B (Note(2))			
1/2	90	9.6	11.2	60.3	15.9	4	30	21.3	14	16	46	16	22.2	22.9	15.8	3	10	34.9
3/4	100	11.2	12.7	69.9	15.9	4	38	26.7	14	16	51	16	27.7	28.2	20.9	3	11	42.9
1	110	12.7	14.3	79.4	15.9	4	49	33.4	16	17	54	17	34.5	34.9	26.6	3	13	50.8
1 1/4	115	14.3	15.9	88.9	15.9	4	59	42.2	19	21	56	21	43.2	43.7	35.1	5	14	63.5
1 1/2	125	15.9	17.5	98.4	15.9	4	65	48.3	21	22	60	22	49.5	50.0	40.9	6	16	73.0
2	150	17.5	19.1	120.7	19.1	4	78	60.3	24	25	62	25	61.9	62.5	52.5	8	17	92.1
2 1/2	180	20.7	22.3	139.7	19.1	4	90	73.0	27	29	68	29	74.6	75.4	62.7	8	19	104.8
3	190	22.3	23.9	152.4	19.1	4	108	88.9	29	30	68	30	90.7	91.4	77.9	10	21	127.0
3 1/2	215	22.3	23.9	177.8	19.1	8	122	101.6	30	32	70	32	103.4	104.1	90.1	10	-	139.7
4	230	22.3	23.9	190.5	19.1	8	135	114.3	32	33	75	33	116.1	116.8	102.9	11	-	157.2
5	255	22.3	23.9	215.9	22.3	8	164	141.3	35	36	87	36	143.8	144.4	128.2	11	-	185.7
6	280	23.9	25.4	241.3	22.3	8	192	168.3	38	40	87	40	170.7	171.4	154.1	13	-	215.9
8	345	27.0	28.6	298.2	22.3	8	246	219.1	43	44	100	44	221.5	222.2	202.7	13	-	269.9
10	4.5	28.6	30.2	362.0	25.4	12	3.5	273.0	48	49	100	49	276.2	277.4	254.6	13	-	323.8
12	845	3.2	31.8	431.8	25.4	12	365	323.8	54	55	113	55	327.0	328.2	304.8	13	-	381.0
14	535	33.4	35.0	476.3	28.6	12	400	355.6	56	79	125	57	359.2	360.2	To be Specified by Purchaser	13	-	412.8
16	595	35.0	36.6	539.8	28.6	16	457	406.4	62	87	125	64	410.5	411.2		13	-	469.9
18	635	38.1	39.7	577.9	31.8	16	505	457.0	67	97	138	68	461.8	462.3		13	-	533.4
20	700	41.3	42.9	635.0	31.8	20	559	508.0	71	103	143	73	513.1	514.4		13	-	584.2
24	815	46.1	47.7	749.3	35.0	20	663	610.0	81	111	131	83	616.0	616.0		13	-	692.2

DIMENSIONS OF CLASS 300 FLANGES

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Nominal Pipe Size NPS	Outside Diameter of Flange O	Thickness of Flange, Min., t1	Thickness Lap Joint Min., t1	Drilling			Hub Diameter Begin- ning of Chamfer Welding Neck A	Lenght Thru Hub			Threaded/ Lenght Threaded Min. B	Bore			Comer Radius of Bore Lapped Flange and Pipe, R	Counter Bore Threaded FLANGE Min Q	Depth of Socket D	Diameter of RF, R	
				Diameter of Bolt Circle W	Diameter of Bolt Holes	Numbers of Bolts		Threaded /Slip-On /Socket Welding, Y	Lapped Y	Welding, Y		Slip-On/ Socket Welding, Min. B	Lapped Min. B	Welding Neck/ Socket Welding B (Note(2))					
1/2	95	12.7	14.3	66.7	15.9	4	38	21.3	21	22	51	16	22.2	22.9	15.8	3	23.6	10	34.9
3/4	115	14.9	15.9	82.6	19.1	4	48	26.7	24	25	56	16	27.7	28.2	20.9	3	29.0	11	42.9
1	125	15.9	17.5	88.9	19.1	4	54	33.4	25	27	60	18	34.5	34.9	26.6	3	35.8	13	50.8
1 1/4	135	17.5	19.1	98.4	19.1	4	64	42.2	25	27	64	21	43.2	43.7	35.1	5	44.4	14	63.5
1 1/2	155	19.1	20.7	114.3	22.2	4	70	48.3	29	30	67	23	49.5	50.2	40.9	6	50.3	16	73.0
2	165	20.7	22.3	127.0	19.0	4	84	60.3	32	33	68	29	61.9	62.5	52.5	8	63.5	17	92.1
2 1/2	190	23.9	25.4	149.2	22.3	4	100	73.0	37	38	75	32	74.6	75.4	62.7	8	76.2	19	104.8
3	210	27.0	28.6	168.3	22.3	4	117	88.9	41	43	78	32	90.7	91.4	77.9	10	92.2	21	127.0
3 1/2	230	28.6	30.2	184.2	22.3	8	133	101.6	43	44	79	37	103.4	104.1	90.1	10	104.9	-	139.7
4	255	30.2	31.8	200.0	22.3	8	146	114.3	46	48	84	37	116.1	116.1	102.3	11	117.6	-	157.2
5	280	33.4	35.0	235.0	22.3	8	178	141.3	49	51	97	43	143.8	144.4	128.2	11	144.4	-	185.7
6	320	35.0	36.6	269.9	22.3	8	206	168.3	51	52	97	47	170.7	171.4	154.1	13	171.1	-	215.9
8	380	39.7	41.3	330.2	25.4	8	260	219.1	60	62	110	51	221.5	222.2	202.7	13	222.2	-	269.9
10	445	46.1	47.7	387.4	28.6	12	321	273.0	65	95	116	56	276.2	277.4	254.6	13	276.2	-	323.8
12	520	49.3	50.8	450.8	31.8	12	375	323.8	71	102	129	61	327.0	328.2	304.8	13	328.3	-	381.0
14	585	52.4	54.0	514.4	31.8	12	425	355.6	75	111	141	64	359.2	360.2	To be Specified by Purchaser	13	360.4	-	412.8
16	650	55.6	57.2	571.5	35.0	16	483	406.4	81	121	144	69	410.5	411.2		13	411.2	-	469.9
18	710	58.8	60.4	628.6	35.0	16	533	457.0	87	130	157	70	461.8	462.3		13	462.0	-	533.4
20	775	62.0	63.5	685.8	35.0	20	587	508.0	94	140	160	74	513.1	514.4		13	512	-	584.2
24	915	68.3	69.9	812.8	41.3	20	702	610.0	105	152	167	83	616.0	616.0		13	614.4	-	692.2

NOTE : (1) Height of RE 2mm (2) Dimensions column 16 Correspond to the inside diameters of pipe as given in ASME B36.10M for Standard Wall Pipe, Thickness of Standard Wall is the same as Schedule 40 in Size NPS 10 and smaller. These bore size are furnished unless Otherwise specified by the Purchaser.

APPLICATION OF INDUSTRIES



Iron & Steel Plant



Mines



Distilleries



Cement Industries



Paper Industries



Fertilizer Industries



Chemical Industries



Rice Mill



Beverage Industries



Oil & Gas Industries



Refinery Plant



Textile Industries



Pharmacy Industries



Sugar Industries



Dairy Industries



Food Industries




Automobile Industries



Power Plant

YOUR TRUSTED
STAINLESS STEEL
SUPPLIERS



KESHAR FORGE & FITTINGS

Mfg., Stockist & Suppliers of : Stainless Steel 202, 304, MS Fitting 304, S.S. Fitting 316, 310, Forge Fitting, All MS Fittings, Ferrous & Non Ferrous, IBR & Non-IBR, SORF, BLRF, SWRF As Per Drawing Your Requirement



+91 70161 48084
+91 98190 01216



kesharforgeandfittings@gmail.com



Shed No. 39, Adarash Estate, Chakudiya
Mahadev Road, Rakhial, Ahmedabad - 380023



WHATSAPP

