

SMART HOME SYSTEMS

W.E.F. APR2023

DIGITAL DOOR LOCK
DIGITAL FURNITURE LOCK
ELECTRONIC BED FITTING
VIDEO DOOR PHONE

ABOUT US



Haken Systems is a recognized international brand in innovation and product development providing high quality Fashion Electronic Door Lock, Wireless Video Door Phone systems, Electronic bed fittings and much more and offering a variety of solutions for both consumers and dealers.

Leader in Innovation and Product Development

Throughout our history, Haken Systems has consistently demonstrated its ability to provide solutions to consumers' need for products that express their lifestyle. Haken has introduced many innovative products to the marketplace in the past years including the Spanish Bed fittings, Smart Electronic Door Locks with Anti-Tarnish finish, the Powerbolt Keyless Home Access System.

High Quality Fashion Doorware

Quality and security are an integral part of every product. Knowing that all Haken products will function properly and provide the added protection and security you expect, allows you to choose from a number of stylish products with confidence.


Variety of Solutions

At Haken Systems, we know that one product line will not fit every consumers' needs. That's why we offer several different styles of Video door phones & Smart Door Locks with varying features and price points. Every line features a selection of Decorator Finishes.

For those who desire only the best, Products offered by Haken is our finest line of automation systems.

If you are looking for convenience, our Electronic Keyless Home Access System & digital furniture products are the perfect solution. These products offer the latest in electronic technology and permit home access with a personalized security code or remote access. Now your kids or even service personnel can access your home without the hassle of duplicate keys. So whether you're looking for low price, unique style, wide selection or simple convenience, Haken Systems has the product to meet your needs and complement your lifestyle.

INDEX



Electronic Bed Fitting 04

Digital Furniture Lock 06

Video Door Phone 12

Digital Door Lock 16

Digital Door Lock Accessories 27

Hotel Lock 29

ELECTRONIC BED FITTING



ELECTRIC BED FITTING

MADE IN



SPAIN

HBF-M1000



WIRED REMOTE CONTROL



WIRELESS REMOTE CONTROL +
MOBILE BLUETOOTH APP



CONCEALED
BUTTON



OPERATE WITH:

- Wired remote control
- Wireless remote Control + Mobile app
- Concealed up / down button

SPECIFICATION:

- Weight capacity upto 400kg
- Double electric motor piston with double spring hinge
- No space wastage in the storage

DIGITAL FURNITURE LOCKS



For Wood, UPVC & Glass Doors



1. SOLO INVISIBLE RFID LOCK



Black



White




RFID CARD

Application:
Swing & Sliding
Door both

DOOR THICKNESS 19-25MM

- RFID Card Access (upto 50)
- Low Battery Indicator
- Automatic Locking Function
- No Locking if Battery Down
(Door height max upto 6ft)

2. SOLO INVISIBLE BLUETOOTH LOCK



Black



White



Bluetooth

Application:
Swing & Sliding
Door both

DOOR THICKNESS Min. 19-25 MM

- Mobile App Access
- Low Battery Indicator
- Open/Close Log Data Access
- Distance of 20 Feet from mobile
- Automatic / Manual Locking Function
- No Locking if Battery Down
(Door height max upto 6ft)

PLACES OF APPLICATION



Shops and Retail:

Glass cabinets and
display cases,
supply cupboards,
staff lockers



Hospitals:

Storage cabinets,
cupboards and
lockers for medical
equipment or



Offices:

Filing cabinets,
kitchen and
stationery
cupboards



Schools:

Staff and
student lockers,
equipment
and storage



Clubs:

Staff and visitor
lockers, glass
display cabinets,
equipment and

For Wooden Doors



3. KEYPAD LOCK BLACK



(Front Body)

(Back Body)



Password

DOOR THICKNESS Max. 19-25 MM

- Password Access
- Low Battery Indicator
- Automatic Locking Function
- No Locking Function
(Door height max upto 6ft)

4. KEYPAD LOCK WHITE



(Front Body)

(Back Body)



Password

DOOR THICKNESS Max. 19-25 MM

- Password Access
- Low Battery Indicator
- Automatic Locking Function
- No Locking Function
(Door height max upto 6ft)

PLACES OF APPLICATION



Shops and Retail:

Glass cabinets and display cases, supply cupboards, staff lockers



Hospitals:

Storage cabinets, cupboards and lockers for medical equipment or



Offices:

Filing cabinets, kitchen and stationery cupboards



Schools:

Staff and student lockers, equipment and storage



Clubs:

Staff and visitor lockers, glass display cabinets, equipment and

For Wooden Doors



5. TWO30+ INVISIBLE RFID LOCK

(for sliding overlapping doors)




- RFID Card Access (upto 50)
- Low Battery Indicator
- Automatic Locking Function
- No Locking if Battery Down



(For Glass overlapping doors)
Glass Kit Extra



(For Wooden overlapping doors)



- For maximum two overlapping doors (as shown below in the image)

For Installation of this lock, need to calculate the thickness of the door + distance between both the doors in mm (total should not exceed 30 mm)

- This lock has inbuilt packing for supporting upto 25mm thick door, for installing in:
 - Door thickness < 25 mm, need to screw an external (wooden) packing between the rear door & the lock to make it upto 25 mm.
 - Door thickness > 25 mm, need to conceal the lock inside the rear door to make it upto 25 mm.

ACCESSORIES (suitable for all PS locks)



3D Latch
3d Adjustable Stainless Steel
Latch for swing & sliding Doors
(included in the lockset)



RFID Card
The Range is approx. 30 mm cross
wood or glass
Use upto 50 different cards per lock.
(2 RFID Cards included in the lockset)



External Antenna
used whenever the distance
from the key is greater than 25 mm
or if the lock is fixed onto a real panel.
Cable: 1.5m



Battery
When the battery starts to run out, the
lock will no longer lock and a continuous
tone will sound for 15 seconds.
(included in the lockset)



Glass Set
This kit has an additional adhesive tape,
which makes you install
the lock on the glass as well.



Self Push Latch
It helps give a self pull open
the door when you unlock the door
with RFID, Bluetooth or Keypad.

PLACES OF APPLICATION



Shops and Retail:

Glass cabinets and
display cases,
supply cupboards,
staff lockers



Hospitals:

Storage cabinets,
cupboards and
lockers for medical
equipment or



Offices:

Filing cabinets,
kitchen and
stationery
cupboards



Schools:

Staff and
student lockers,
equipment
and storage



Clubs:

Staff and visitor
lockers, glass
display cabinets,
equipment and

6. CODAK FP

Fingerprint Lock



COLOURS
Silver Gold

- **High-Tech:** Semiconductor fingerprint identification technology, more sensitive and reliable.
- **Low Power consumption:** Power supplied by only one AAA battery, small in size. If the battery is low, the lock will prompt everytime you use it, change the battery
- Maximum 5 fingerprints can be registered.
- ISO9001&14001, CE & FCC Certified
- **Application:** Drawer, Cabinet, Wardrobe etc.
- **Material:** Zinc alloy and Stainless Steel
- **Door Thickness:**
Model A : 16-22mm
Model B : 30-36mm

NEXT
LOCK by Digilock®


7. SOLA (Cm)

Keypad Lock

SOLA Lock can be installed vertically or Horizontally for Left or Right handed configuration


Size:
Depth 26.9mm x Height 152.4mm
x Width 31.8mm
(Front Panel)

Horizontal Left Handed



Locked Position

Horizontal Right Handed



Locked Position

Vertical Body
Nickel



NEXT
LOCK by Digilock®

8. CUE (Cm)

Keypad Lock



Size:
Depth 19mm x Height 82mm x Width 59mm
(Front Panel)

POWER JUMPER

Cue (code managed)



1. EMPEROR

- Fingerprint + Password locking
- Material : Zinc alloy
- Can be used as a handle
- Password length: 1-10 characters
- Fingerprint storage: 100
- AAA Battery can be powered by external power supply via USB port in case of low battery



2. ROSS

- Fingerprint locking
- Material : Zinc alloy
- AAA Battery can be powered by external power supply via USB port in case of low battery
- Low power consumption: battery life of 1 year
- Fingerprint storage: 100 pcs
- Can be used for both, openable or sliding door



3. PULLER

- Fingerprint locking
- Material : Zinc alloy
- AAA Battery can be powered by external power supply via USB port in case of low battery
- Low power consumption: battery life of 1 year
- Can be used as a puller
- Fingerprint storage: 20 pcs



4. ATELIER

- Single Fingerprint unlocking mode
- Material : Zinc alloy
- AAA Battery can be powered by external power supply via USB port in case of undervoltage
- Low power consumption: battery life of 1 year
- Can be used as a puller
- Fingerprint storage: 10 pcs



5. CUBE

- Fingerprint + Password unlocking mode
- Material : Zinc alloy
- Password length: 1-10 characters
- Fingerprint storage: 100 pcs
- AAA Battery can be powered by external power supply via USB port in case of undervoltage
- Low power consumption: battery life of 1 year



VIDEO DOOR PHONE



1. Wifi Door Bell



Main Unit



Motion-Sensing



WiFi Connection
2.4G



Intercom



Unlock



App-Based



Night Vision

Weatherproof

- Can be connected to Haken digital door locks.
- Can unlock door lock sitting anywhere in the world using your mobile.

- The image effect: 720P.
- Connect to 8V~36V Low-voltage power supply
- Camera angle: 120°
- 1.3 pixels.
- Touch button

Now increase your home security by bringing your house view on your mobile using our wifi video door bell



Doorphone

This Device has intercom function



Video Recording

Support TF card recording



Motion Detection

Built-in motion sensor triggers mobile alerts



Mobile Access

See and speak to visitors via your mobile APP from any place



Night Vision

Buit-in night vision allows you to capture activity around the door at night



Remote Unlock

Unlock your via APP (electric / digital lock is sold separately)



Photo Taking

Take photos by your mobile via APP




Chime

Work as a normal door chime when your phone is not nearby or turned off



HVDP-WL31



(indoor + outdoor unit)

**No Wiring
needed
at all**

**Fully Wireless Setup:
can be connected to our
locks wirelessly**



Doorphone



Unlock



Touch Button



Monitor



Photo-taking



Night Vision




Working
Distance

New Technology in Town Go Wireless with the latest & most advanced Video Door Phone in the World


PRODUCT DESCRIPTION

- Wireless hands-free communication.
- High class touch button operation.
- Portable indoor monitor for HVDP-WL31.
- Wireless video intercom.
- Wireless surveillance outdoor.
- Wireless unlock door strike (The electric lock needs extra power supply)
- Wireless working distance: (150 area).
- The HVDP-WL31 with motion detecting photo-taking function, maximum 100 photo can be saved.
- Support up to 3 indoor units.

White



Black



HVDP-BL30



(Single Button Outdoor Unit)



PRODUCT DESIGN

- **Monitoring & Security**

We can monitor what is going on at home no matter where we are via APP.

image immediately. You can unlock the door strike remotely by APP, or unlock by the indoor unit.

- **Unlock Door Strike by Mobile**

When someone presses the call button on the outdoor unit, the indoor unit will ring and the mobile phone will get the video

- **Photo Taking & Video Recording**

User can take photos or record video via APP.


DIGITAL DOOR LOCK





PUSHPULL LOCK

FACE DETECTION & PALM RECOGNITION



6 WAY



Mechanical Key



RFID Smart Card

Bluetooth with app
(Optional)Remote Control
(Optional)

- Remote Control / Video Door Phone / Bluetooth integration (Sold Separately)
- Size 85 x 367 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)



Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing

With one touch, you can close the lock



Fake Pass Code / Smart Touch Pad

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password



External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System

it offers a state of the art anti theft system



Dark Grey

**For Wooden Doors**

- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)
- Size-Outer Body: 85 x 367 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability

**One-touch Door closing**

With one touch, you can close the lock

**Fake Pass Code / Smart Touch Pad**

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password

3. HDL-PP74



Rose Gold

**For Wooden Doors**

- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)
- Size-Outer Body: 85 x 367 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)


**External Emergency Battery Port**

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily

**Anti-Hacking System**

it offers a state of the art anti theft system

4. HDL-PP64



- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)

- Size-Outer Body: 85 x 367 x 73 (mm)

- Door Thickness: 35-60 (mm)

- 60-100mm (Kit Extra)

For Wooden Doors

Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing


With one touch, you can close the lock



Fake Pass Code / Smart Touch Pad

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password

5. HDL-PP64



- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)

- Size-Outer Body: 85 x 367 x 73 (mm)

- Door Thickness: 35-60 (mm)

- 60-100mm (Kit Extra)

For Wooden Doors

External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily




Anti-Hacking System

it offers a state of the art anti theft system

6. HDL-PP53



Gold



- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)
- Size-Outer Body: 89 x 288 x 70 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

7. HDL-PP53



Black

- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)
- Size-Outer Body: 89 x 288 x 70 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)



Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing

With one touch, you can close the lock



Fake Pass Code / Smart Touch Pad

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password




External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System

it offers a state of the art anti theft system



8. HDLE-M61



Coffee Brown

5 WAY



Smart Touch Pad



Finger Print Access



Mechanical Keys



RFID Smart Card



Wifi with App

- WIFI Lock / Unlock with App
- Size 70 x 370 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)



Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing

With one touch, you can close the lock

Fake Pass Code / Smart Touch Pad

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password



9. HDLE-M61



Matt Black

5 WAY



Smart Touch Pad



Finger Print Access



Mechanical Keys



RFID Smart Card



Wifi with App

- WIFI Lock / Unlock with App
- Size 70 x 370 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)



External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System

it offers a state of the art anti theft system





Brush Black

5 WAY



Smart Touch Pad



Finger Print Access



Mechanical Keys



RFID Smart Card



Wifi with App

- WIFI Lock / Unlock with App
- Size 70 x 297 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

**Metal Die Cast Body**

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability

**One-touch Door closing**

With one touch, you can close the lock

**Fake Pass Code / Smart Touch Pad**

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password



11. HDL-M44



Black



Rose Gold

4 WAY



Smart Touch Pad



Finger Print Sensor



RFID Smart Card



Bluetooth with app (Optional)



Mechanical Keys



Remote Control (Optional)

- Size-Outer Body: 85 x 367 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)
- Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)


External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily

**Anti-Hacking System**
it offers a state of the art anti theft system




Titan Silver



Champagne Gold

4 WAY



- Optional Remote Control / VDP Integration (Sold Separately)
- Size 83 x 304 x 21.95 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

**Metal Die Cast Body**

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability

**One-touch Door closing**

With one touch, you can close the lock


**Fake Pass Code / Smart Touch Pad**

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password

13. HDL-M34



3 WAY

**External Emergency Battery Port**

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily

**Anti-Hacking System**

it offers a state of the art anti theft system

- Remote Control / Video Door Phone / Bluetooth integration (Sold Separately)
- Size 80 x 255 x 24 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

5 WAY



Champagne Gold



Graphite Black



Back Body

For Sliding & Double Door



Smart Touch Pad



Finger Print Access



RFID Smart Card



Emergency Mechanical Key



Dual Authentication Mode

- Remote Control / Video Door Phone
(Sold Separately)
- Size 75 x 180 x 25 (mm)
- Door Thickness: 35-50* (mm) (Please review with technical team for the size)

15. HDLE-R50



5 WAY



Smart Touch Pad



Mechanical Keys



Wifi with App



Finger Print Access



RFID Smart Card

- WIFI Lock / Unlock with App
- Dead bolt type
- Size 64 x 172 x 10 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability

**One-touch Door closing**

With one touch, you can close the lock

**Fake Pass Code / Smart Touch Pad**

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password

**External Emergency Battery Port**

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily

**Anti-Hacking System**
it offers a state of the art anti theft system



Titan Silver



Back Body

3 WAY



- Door Thickness: 35-60 (mm)
- Size 73 x 180 x 20 (mm)

17. HDL-R32N



Black



Back Body

2 WAY

Slimmest Biometric Lock Ever with vertical sash body



- Optional Remote Control / VDP Integration (Sold Separately)
- Size 64 x 170 x 15 (mm)
- Door Thickness: 35-60 (mm)

**Metal Die Cast Body**

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability

**One-touch Door closing**

With one touch, you can close the lock

**Fake Pass Code / Smart Touch Pad**

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password

**External Emergency Battery Port**

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily

**Anti-Hacking System**


it offers a state of the art anti theft system



(No Need to make a hole or cut-out in the glass)



Smart Touch Pad



Finger Print Access

5
WAY



Emergency Mechanical Key



RFID Card



Wifi with App

- Size 70 x 170 x 22 (mm)
- Door Thickness: 10-12 (mm)



Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing

With one touch, you can close the lock



Fake Pass Code / Smart Touch Pad

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password



External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System

it offers a state of the art anti theft system

DIGITAL LOCK ACCESSORIES





Receiver Module

FRX-100 /PP-74 / PP-64 / PP-53
M-34 / M-44 / R32-N / RG24-RC



Receiver Module

HDL-M41



Receiver Module

HDL-R51



Remote Control

FRX-100 /PP-74 / PP-64 / PP-53
M-34 / M-44 / R32-N / RG24-RC



Remote Control

HDL-M41



Remote Control

HDL-R51



VDP Module

FRX-100 /PP-74 / PP-64 / PP-53
M-34 / M-44 / R32-N / RG24-RC



VDP Module

HDL-M41



VDP Module

HDL-R51



Bluetooth Module

PP-74/ HDL-PP64 / PP53 /
M-44 / R51 / M-34



Glass to Glass Module

HDL-RG24



RFID Card



Big Lock Body*

HDL-M41

*(to be exchanged in
lieu of small lock body)


HOTEL LOCKS





HHL-100

(Satin)



PVD Gold



Black Nickel

FEATURES

 304# stainless steel reader, handle and collar.

 Backup mechanical key.

 Proximity latest Mi-fare technology, fast and stable

 With SS-304 die casting latch and deadbolt.

 Low power alarm, guest card can still open the door.

 User friendly software, easy to use and management.

 Hidden cylinder ensures the security

TECHNICAL SPECIFICATIONS

- Mechanism: 304# reader, front / back panel and handle
- Unlock way: Mifare card or mechanical key
- Power Supply: 4xAA alkaline battery (DC6v)
- Working Temperature :-20-45 degree
- Working humidity: 20-95%
- Suitable door thickness: 45-65mm

CE CERTIFIED

70# ANSI Mortise

- With standard 70mm backset ANSI mortise
- Microswitch inside the mortise is with over 1000,000 times life test.
- Latch and deadbolt parts are with SS-304 die casting material, durable and reliable.

Hotel Lock Accessories



HHL-ACC-ESS10

ENERGY SAVING SWITCH

The energy saver is specially designed to be used as power switch in the hotels and suitable for Mifare/RF card to control the power with high security. it can save about 40% power consumption in your daily use.

Use method: you can insert one card into the switch to get the power, the signal light will show red.

TECHNICAL SPECIFICATIONS

• Working voltage:AC220V+10%	• Time delay: 15 seconds
• Working current:40A	• Working temperature:-40oC~+50oC



HHL-ACC-MC10
MIFARE CARD



HHL-ACC-SOFTWARE
HOTEL LOCK MANAGEMENT SOFTWARE



HHL-ACC-DEC
DATA EXTRACTION CARD



HHL-ACC-ENC
ENCODER



HHL-ACC-LCD
HAND HELD LCD DEVICE

- Universal USB port, no need extra driver
- Auto detect the card
- Fast reading speed and stable to use
- Support one card system integration
- One station solution, no need special room setting card
- Easy to check the card information
- Convenient to check audit trial records
- Support checkout function.



REQUIREMENTS FOR INTEGRATION / SETUP

Computer: memory: 500GB above, hard disk suggested 2G above, USB port required.

Software: Windows system, windows 8/10.

Database: Windows Access / Microsoft SQL server 2008 above.

Encoder: Read / write card and software registration.

Door Lock: Installed on each room.

LCD Handset: Configure Room No. Adjust time, audit trial records etc.

MiFARE Card: Unlock the door lock.



**Unreachable is
impossible.**

Because we
are nationwide.





Technology can deliver both quality & convenience and the strongest insights come from understanding the people who use it.



HAKEN SYSTEMS LLP
1517-A | Kotla | Wazir Nagar | Delhi-110003 | INDIA

 care@haken.in  011 4109 9590



HAKEN SYSTEMS EUROPE LTD.
14 | Mulberry Drive | Slough SL3 7JU | UNITED KINGDOM



www.hakensystems.co.uk

