



Innovation is our strength...



- ▶ Aluminium Railing
- ▶ SS Railing
- ▶ Kitchen Profile



## Company Profile

We are a **Ovens Architectural Hardware** team of young professionals: Design, Supply and Build your Dreams of exterior and interiors of your loved Building /Projects.

Established in the year 2017, We are manufacturing Aluminium Glass Railing Profiles Our product range is manufactured using latest technology with best quality raw material in compliance with international quality standard.

Our company as **Ovens Architectural Hardware** is honored by quality certificate of ISO 9001-2015. we are communicating with our esteemed partners through our professional crew and systems with finding fast solutions, responding to demands and supporting until the time of delivering products.

Our quality control techniques ensure our clients that our product range is excellent in terms of performance, quality and durability. With expansive support of our wide distribution network, we are supplying these products in well on time. Our ethical business policies, client centric policies and competitive price range have formed a huge client base for us in this competitive market. The **Ovens Architectural Hardware** talented and Innovative team is working on shop design and build.

Our professional team will schedule an in-person appointment with you to take space measurements, offer you design working your professional consultation.

And we always put the best effort and materials to the satisfaction of our clients... We are proud to announce that we have Built Good trust and satisfactory notes from our clientele. Through making a dream in to reality we have put forth our 7 years of continuous Learning and Build Innovations and have smiled with the client with every project we, completed. We look Forward to meet you in person and better understand your Requirements and take it forward.



## OVB-01 Ferry Continue Bottom



- **OVB-01** Railing system is continuous aerodynamic aluminium profile. This railing the perfect investment for any homeowner.

- This Profiles Comes In 13 feet & 16 Feet Length.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-02 Diamond Continue Bottom



- **OVB-02** Railing system is continuous aluminium profile. This Profile is Triangle Edges with a stunning look.

- This Profiles Comes In 13 feet & 16 Feet Length.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-03 58x32 Continue Bottom



- **OVB-03** Railing system is continuous aluminium profile. This profile is easy to install, the light and slim aluminium railing is a perfect solution for areas where traditional railing can't be installed.

- This Profiles Comes In 13 feet & 16 Feet Length.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 900mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-04 80x37 Continue Bottom



- **OVB-04** Railing system is continuous aluminium profile. This railing is designed in a way to meet the needs and expectation of the site.

- This Profiles Comes In 13 feet & 16 Feet Length.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-05 100x37 Continue Bottom



- **OVB-05** Railing system is continuous aluminium profile. Aesthetic design, easy installation.

- This Profiles Comes In 13 feet & 16 Feet Length.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1050mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-06 117x45 Continue Bottom



- **OVB-06** Railing system is continuous aluminium profile. High strength, ultra-Modern Design unlimited View.

- This Profiles Comes In 12 feet & 13 Feet Length.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1100mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-07 125x70 Continue Bottom



- **OVB-07** Railing system is continuous aluminium profile. The system is commonly used in high-rise building, malls, shopping complex.

- This Profiles Comes In 12 feet Length.

- Lock the glass with aluminium locking systems. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm, 13.52mm and 15mm thickness and 1200mm height and can also be used frameless.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-08 50x90 Led Continue Bottom



- **OVB-08** Railing system is continuous aluminium profile. Ultra Morden design with Led System.

- This Profiles Comes In 13 feet & 16 Feet Length.

- Lock the glass with Abs packing. And slot for Led Rope Light. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.

- The Profile is anchored with Bolts at every 12 inches.

## OVB-09 Clip Ferry Continue Bottom



- **OVB-09** Railing system is continuous aluminium profile. Innovative Turkish design, Dust-Free, Zero Maintenance.
- This Profiles Comes In 13 feet & 16 Feet Length.
- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.
- The Profile is anchored with Bolts at every 12 inches.

## OVB-10 Modular Ferry Continue Bottom



- **OVB-10** Railing system is continuous aluminium profile. This system is widely uses all over the India and many other countries.
- This Profiles Comes In 13 feet & 16 Feet Length.
- Lock the glass with Aluminium packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.
- The Profile is anchored with Bolts at every 12 inches.

## OVB-11 115x40 Continue Bottom



- **OVB-11** Railing system is continuous aluminium profile. The railing is built to be both elegant and functional, and is easy to install.
- This Profiles Comes In 12 feet & 13 Feet Length.
- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1100mm height.
- The Profile is anchored with Bolts at every 12 inches.

## OVB-12 50x90 Continue Bottom



- **OVB-12** Railing system is continuous aluminium profile. This railing is both sturdy and easy to install, so you can create the perfect look with minimal hassle.
- This Profiles Comes In 13 feet & 16 Feet Length.
- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.
- The Profile is anchored with Bolts at every 12 inches.

## OVB-13 40x30 Continue Bottom



- **OVB-13** Railing system is continuous aluminium profile. This Profile is slim with zero disturbance view.
- This Profiles Comes In 13 feet & 16 Feet Length.
- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 750-800mm height.
- The Profile is anchored with Bolts at every 12 inches

## OVB-14 Easy line Continue Bottom



- **OVB-14** Railing system is continuous aluminium profile.
- This Profiles Comes In 13 feet & 16 Feet Length.
- The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 800mm height.
- The Profile is anchored with Bolts at every 12 inches.

## OVBC-01 Step Bottom Bracket Cover



- **OVBC-01** Railing system is top mounted system. The aluminium cover railing is an attractive alternative to the standard metal railing.

- This Cover comes in 13 feet & 16 Feet Length and bracket comes in 65mm & 130mm.

- The brackets are covered with cover profile in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 900mm height.

- Best used bracket at every 2.5feet of distance.

## OVBC-02 Heavy Bottom Bracket Cover



- **OVBC-02** Railing system is suitable for Frameless system. This is the perfect solution for any type of railing, including deck railings, porch railing.

- This Cover comes in 13 feet & 16 Feet Length and bracket comes in 65mm & 130mm.

- The brackets are covered with cover profile in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1200mm height.

- Best used bracket at every 2.5feet of distance.

## OVBC-03 Slope Bottom Bracket Cover



- **OVBC-03** Railing system is high structural strength provides maximum safety. Slope aluminium railing is also easy to install and does not require a professional to install.

- This Cover comes in 13 feet & 16 Feet Length and bracket comes in 65mm & 130mm.

- The brackets are covered with cover profile in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1100mm height.

- Best used bracket at every 2.5feet of distance

## OVBC-04 Square (90x56) Bottom Bracket Cover



- **OVBC-04** Railing system is premium design in the segment. A square cover aluminium railing is an attractive and sturdy railing for any deck or patio.

- This Cover comes in 13 feet & 16 Feet Length and bracket comes in 65mm & 130mm.

- The brackets are covered with cover profile in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 900mm height.

- Best used bracket at every 2.5feet of distance

## OVBC-05 Large Bottom Bracket Oval Cover



- **OVBC-05** Railing system is high structural strength provides maximum safety. The features of this system are not limited, corrosion resistance also extends to east to maintain attractive design.

- This Cover comes in 13 feet & 16 Feet Length and bracket comes in 65mm & 130mm.

- The brackets are covered with cover profile in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 900mm height.

- Best used bracket at every 2.5feet of distance

## OVBS-01 T Type Bottom Bracket



- **OVBS-01** Railing bracket is suitable for staircase and balcony. With its clean lines and minimalist design, the ALUMINIUM GLASS T BRACKET is the perfect way to complete your decor.

- This Bracket Size 84mm/97mm height. The bracket length available in 65mm

- The bracket is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.

- Bracket can be used bracket at every 2.5feet of distance.

## OVBS-02 A Type Bottom Bracket



- **OVBS-02** Railing bracket is economical and compatible. The "A" shaped bottom glass bracket is a versatile and stylish bracket that can be used in many different ways.

- This Bracket Size 60mm/115mm height. The bracket length available in 55mm.

- The bracket is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 1000mm height.

- Bracket can be used bracket at every 2.5feet of distance.

## OVBS-03 Oval Type Bottom Bracket




- **OVBS-03** oval aluminium glass bracket is perfect for any modern home. The sleek and elegant design of the bracket makes it perfect for both commercial and residential use.

- This Bracket Size 60mm/100mm height. The bracket length available in 50mm.

- The bracket is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 900mm height.

- Bracket can be used bracket at every 2.5feet of distance.

## OVBS-04 70MM Ferry Bottom Bracket




- **OVBS-04** Railing system is continuous aero-dynamic aluminium profile. This railing the perfect investment for any homeowner.

- This Bracket Size 66mm/70mm height. The bracket length available in 65mm and 130mm.

- Lock the glass with Abs packing. The profile is in anodize, wooden, and any other shade of powder coating finish. The system is compatible with glass of 12mm thickness and 900mm height.

- Bracket can be used bracket at every 2.5feet of distance.




**OVH-01 40x40 Square**



**OVH-02 50x50 Square**



**OVH-03 25x25 Square**



**OVH-04 50mm Round**



**OVH-05 Diamond**



**OVH-06 65x45 Rectangle**




**OVH-07 70x35 Led**



**OVH-08 2 Side Led**



**OVH-09 Round Incline**



**OVH-10 Star**



**OVH-11 Wide**



**OVH-12 50X40**




**OVH-13 60x40**



**OVH-14 70x35**



**OVH-15 70x30**



**OVH-16 Capsule**



**OVH-17 38mm Round**



**OVH-18 65mm Round**



**OVH-19 Small Rectangle**




**OVH-20 17x19**



**OVH-21 Easy line**

## POWDER COATING



AkzoNobel Powder Coatings B.V.  
Christian Neefestraat 2  
1077 WW Amsterdam  
The Netherlands

**Interpon.**

As Per Customer Required

ANODIZE FINISH



## WOODEN COATING





- 📍 316, Golden Plaza, Tagore Road,  
Rajkot - 360002 (Guj.) INDIA
- ✉️ ovenshardware@gmail.com
- 🌐 www.ovenshardware.com